

:::JYD MATERIALES ELECTRICOS:::

JYD Materiales Eléctricos

WS



ESPECIFICACIONES CABLES PARA SOLDADORA TIPO WS

	SECCION	
--	---------	--

CALIBRE

NUMERO

HILOS

CONSTRUCCION

**DIAMETRO
HILO**



ESPEJOR

CUBIERTA



**DIAMETRO
EXTERIOR**



PESO

AWG	mm ²			mm	mm	mm	Kg/Km	(*) A
8	8,4	168	7 x 24	0,254	2,03	7,9	164	100
6	13,3	266	7 x 38	0,254	2,16	9,7	204	145
4	21,2	420	7 x 60	0,254	2,16	11,4	288	190
2	33,6	665	19 x 35	0,254	2,42	14	447	254
1	42,4	836	19 x 44	0,254	2,42	15,3	539	300
1/0	53,5	1064	19 x 55	0,254	2,54	16,8	669	354
2/0	67,4	1323	7 x 7 x 27	0,254	3,18	18,6	853	409
3/0	85	1666	7 x 7 x 34	0,254	3,23	20,3	1049	472
4/0	107,2	2107	7 x 7 x 43	0,254	3,23	22,1	1263	545

NOTA: EL AMPERAJE DADO ES PARA UN SERVICIO DE INTERMITENCIA DEL 30 % PARA
OBTENER EL AMPERAJE EN TRABAJO CONTINUO MULTIPLICAR POR EL FACTOR 0,55
(*) - TEMPERATURA AMBIENTE : 30°C

Â

[Informaci3n](#)